



COUNCIL AGENDA

Monday, April 4, 2022 - 7:00 pm
Waynesville Municipal Building

- I. Roll Call
- II. Pledge of Allegiance
- III. Mayor (for purposes of acknowledgments)
- IV. Disposition of Minutes of Previous Meetings
Council, March 21, 2022 at 7:00 p.m.
- V. Public Recognition/Visitor's Comments (A five minute per person time limit will be allowed each speaker unless more time is requested and approved by a majority of the council)
- VI. Old Business
- VII. Reports
 - Standing Council Committees
 - a) Finance Committee
 - b) Public Works Committee
 - c) Special Committees
 - Village Manager's Report
 - Police Report
 - Finance Director's Report
 - Law Directors Report
- VIII. New Business:
 - Objections to Renewal of a Liquor Permit

Legislation:

Reading of Ordinances and Resolutions:

First Reading of Ordinances and Resolutions:

RESOLUTION NO. 2022- 009

A RESOLUTION EXPRESSING COUNCIL'S INTENT TO DEDICATE CERTAIN FUNDS FOR THE REPLACEMENT OF LAMPPOSTS ON MAIN STREET

ORDINANCE NO. 2022-010

AUTHORIZING THE VILLAGE MANAGER TO ENTER INTO A CONTRACT WITH OHIO VALLEY PAINTING COMPANY IN AN AMOUNT NOT TO EXCEED \$12,944 FOR THE REFURBISHING OF LIGHT AND STREET SIGN POLES

ORDINANCE 2022-011

AMENDING THE SCHEDULE OF FEES AND CHARGES FOR THE VILLAGE OF WAYNESVILLE REGARDING CONDITIONAL USE PERMITS, VARIANCES, REPLACEMENT OF METER LIDS, STREET LIGHT FEES, AND WATER METERS

ORDINANCE NO. 2022-012

AUTHORIZING THE VILLAGE MANAGER TO ENTER INTO A COOPERATIVE AGREEMENT WITH WAYNE TOWNSHIP RELATED TO THE THIRD STREET WATER MAIN REPLACEMENT AND STREET RESURFACING PROJECT

ORDINANCE NO. 2022-013

AUTHORIZING THE VILLAGE MANAGER TO ENTER INTO A COOPERATIVE AGREEMENT WITH WAYNE TOWNSHIP RELATED TO THE FRANKLIN STREET WATER MAIN AND STREET IMPROVEMENTS, PHASE 1 PROJECT

ORDINANCE NO. 2022-014

AUTHORIZING A HEALTH INSURANCE PLAN FOR VILLAGE EMPLOYEES AND DECLARING AN EMERGENCY

ORDINANCE NO. 2022-015

AUTHORIZING THE VILLAGE MANAGER TO ENTER INTO A CONTRACT WITH PCI SERVICES RELATED TO MAIN STREET LIGHT LED REFURBISHMENT

ORDINANCE NO. 2022-016

AUTHORIZING THE VILLAGE MANAGER TO EXECUTE AN ADDENDUM TO THE CONTRACT WITH RUMPKE OF OHIO, INC. AND DECLARING AN EMERGENCY

Second Reading of Ordinances and Resolutions:

None

Tabled:

None

IX. Executive Session

X. Adjournment

Next Regular Council Meeting:

April 18, 2022 at 7:00 pm

Upcoming Meetings and Events:

Public Works, April 4, 2022 @ 6:00 p.m.

Finance Meeting, April 21, 2022 @ 5:00 p.m.

**Village of Waynesville
Council Meeting Minutes
March 21, 2022 at 7:00 pm**

DRAFT

Present: Mayor Earl Isaacs
Mr. Chris Colvin
Ms. Joette Dedden
Mr. Zack Gallagher
Mr. Troy Lauffer
Mrs. Connie Miller

Absent: Mr. Brian Blankenship

Village Staff Present: Jeff Forbes, Law Director; Chief Gary Copeland, Village Manager and Safety Director; Jamie Morley, Clerk of Council

CLERK'S NOTE- This is a summary of the Village Council Meeting held on Monday, March 21, 2022.

Mayor Isaacs called the meeting to order at 7:00 p.m.

Roll Call – 6 present

Ms. Dedden made a motion to excuse Mr. Blankenship and Mr. Lauffer seconded the motion.

Motion – Dedden

Second – Lauffer

Roll Call – 6 yeas

Mayor Acknowledgements

Happy 225th birthday to the Village of Waynesville.

Disposition of Previous Minutes

Mrs. Miller made a motion to approve the minutes for the Council meeting on March 7, 2022 as written and Mr. Colvin seconded the motion.

Motion – Miller

Second – Colvin

Roll Call – 6 yeas

Public Recognition/Visitor's Comments

Warren County Sheriff, Larry Simms, addressed Council and provided them with a copy of the 2021 annual report. He stated that the administrative side moved to the new County Jail the first week of August and the inmates were moved the following week. There are still a few kinks and finishing touches that need to be done. Otherwise, the building is very nice, and the number of beds increased from 280 to 499. The current holding average is between 290 and 300.

Sheriff Simms also spoke briefly on the Constitutional Carry Bill that was recently signed into law and will go into effect on June 13th. He wanted to remind everyone that the laws for concealed carry are still in place. He also stated that he does not anticipate any issues with the change to a constitutional carry.

Council thanked Sheriff Simms for attending tonight's meeting.

Major Steve Arrasmith, Warren County Drug Task Force, presented Council with a year-end review. He thanked Council and the community for their support. Major Arrasmith explained that the funding for the Task Force is mainly comprised of grants and municipality contributions. The Task Force serves all of Warren County and the City of Wilmington. This area is a major pipeline for drug traffickers being between Dayton and Cincinnati. The Warren County Drug Task Force has been a member of HIDTA since 2004 that allows local, state, and federal staff to communicate and share information. Last year, Warren County Task Force had 609 cases, 331 arrests, and 1501 traffic stops. Methamphetamine and fentanyl are the main drugs being seen in the area. Major Arrasmith stated that it has been increasingly challenging to maintain funding for the Task Force; Community support makes up 30% of the funding.

Chief Copeland stated that Major Arrasmith and his staff have always been helpful and always respond to calls for help from the Village. He also suggested that the Council consider increasing the Village's yearly contribution as several municipalities donate an actual police officer, however, Waynesville does not have those resources.

Mr. Gallagher commended Major Arrasmith and his staff for the tremendous job they are doing. He pointed out that the Warren County Task Force ranked 3rd in all the counties for the most prescription drug seizures, 10th for fentanyl seizures, and 13th for methamphetamine seizures.

Mr. Lauffer asked how things have changed over the years pertaining to drug trafficking. Major Arrasmith responded that drug traffickers are becoming savvier and finding loopholes. They will use rental cars and even Ubers to distribute drugs. This has made it more difficult to identify drug traffickers because the car keeps changing and has hurt the budget because forfeitures used to make up a larger portion.

Mr. Colvin asked if drug traffickers were using cryptocurrency. Major Arrasmith said yes, they have run into some cases with Crypto. Mr. Colvin also asked if the Drug Task Force has seen human trafficking cases. Major Arrasmith stated that there is not too much human trafficking in Warren County, as that is seen more around the 275 loop and closer to highways. But drug and human trafficking are closely linked.

Council thanked Major Arrasmith for his time and service.

.....

Old Business

None

.....

Reports

Finance

The Finance Committee will meet this Thursday, March 24, 2022 at 5:00 p.m. in the small conference room at the Government Center. The public is welcome to join.

Public Works Report

Public Works met this evening and discussed the lampposts along Main Street and whether to refurbish or replace them. The next meeting will be on April 4, 2022 at 6:00 p.m. and the public is encouraged to attend.

Special Committee Reports

None

Village Manager Report

- The new Village website will be launching tomorrow.
- Attended a meeting as a representative for the Village for the One Ohio MOU opiate lawsuit. 30% of the funds are going to local municipalities and the meeting was to discuss the best way to use these funds.
- HEAP of Warren County Community Services contacted the Village to help spread the word about their services to help Warren County residents with utility bills. Aid is based on income.
- Discussed the possibility of purchasing new lampposts along Main Street at the last Public Works meeting. I was asked to research the possibility of refurbishing the current lampposts. A quote has been provided for both the lampposts and street signs to be refurbished for \$12,944. You can visit Springboro and see their poles that were recently refurbished by this company.
- Street Department went out last week and filled potholes. They will be out soon to do it again.

- Provided a photo of the flooding at the plot of land at the corner of Route 73 and 42. Still working with several agencies about the application to fill in the land.
- Andy and Brian put a new metal roof on the Covey Station control room.
- Continuing to work with Cindy Menth from WMA on planning the clock dedication ceremony at the gazebo downtown to commemorate Waynesville's 225 birthday. Barry from Hour House is trying to locate an electrical mechanism for the clock.
- The Village will receive approximately another \$1,200 from the American Rescue Plan. This was unclaimed money from municipalities that decided not to participate and was redistributed.
- The Village qualified for property tax exemption for two parcels and will receive a refund for taxes paid.

Police Report

- Appreciate Sheriff Simms and Major Arrasmith for attending tonight's meeting and presenting year-end reports.
- Would like Council to consider increasing the amount that they give to the Drug Task Force. Currently, the Village contributes \$2.00 per resident. The Task Force has helped the Village out many times and always responds when called.
- Obtained free pocket Constitution booklets for all eighth-graders at Wayne Local Schools from the Veteran's Commission.
- Street Department painted a stop bar for the new stop sign at the Government Center.

Ms. Dedden asked if the company would brush or spray the lampposts to refurbish them. Chief Copeland responded that he was not sure but would research it and let Council know. He also stated that the Springboro lights look very good. This would be a possible option to give the Village time to save more money for new lampposts and do research to come up with specifications to put the project out to bid since the project will be over the threshold.

Mrs. Miller asked Chief Copeland to get a quote to change the lampposts over to LEDs. Mr. Gallagher asked what the warranty was for the painting of the lampposts. Chief Copeland replied that he would have those answers at the next Council meeting.

Mrs. Miller and Mr. Lauffer asked Ms. Morley to advertise for a meeting to discuss the lampposts along Main Street this Thursday at 6:00 p.m.

Financial Director Report

None

Law Report

- Follow up on questions from the last Council meeting concerning changes in the Sunshine Law. There have been minor updates and changes but nothing that would affect how the Village conducts business.

New Business

Chief Copeland stated that Council decided to increase the Village's contribution to the Warren County Drug Task Force from \$1.00 to \$2.00 about three years ago. He asked if Council would consider increasing that amount. The Task Force has helped the Village out many times and always responds when called. Mr. Gallagher asked if the Finance Committee saw any issues with the budget if the amount was increased. Ms. Dedden responded that this is a small amount, and it should have a minimal effect.

Ms. Dedden made a motion to increase the Village's contribution to the Warren County Task Force to \$9,000 and Mr. Gallagher seconded the motion.

Motion – Dedden

Second – Gallagher

Roll Call – 6 years

Ms. Dedden stated that she and Mrs. Miller attended the Wayne Township Trustee meeting last Tuesday. They attended to ask Wayne Township if they could collaborate with the Village on two OPWC Grants in 2023. The Township's contribution would be up to 25K for each grant toward the purchase of new fire hydrants. The grants are for 2023, which would give the Township time to budget and appropriate for the contribution. Mrs. Miller stated that the Township Trustees were very appreciative for Council representatives attending the Township meeting. She suggested that Council arrange a rotating schedule for Council members to attend the meetings.

Legislation

First Reading of Ordinances and Resolutions

None

Second Reading of Ordinances and Resolutions

None

Tabled Ordinances and Resolutions

None

Executive Session

None

All were in favor to adjourn at 8:08 p.m.

Date: _____

Jamie Morley, Clerk of Council



**Department
of Commerce**

Division of Liquor Control

Mike DeWine, Governor
Sheryl Maxfield, Director

**NOTICE TO LEGISLATIVE AUTHORITIES
Objections to Renewal of a Liquor Permit**

83-154

MARCH 16, 2022

CLERK OF WAYNESVILLE CITY COUNCIL
1400 LYTTLE ROAD
WAYNESVILLE OHIO 45068

Dear Clerk of Legislative Authority:

All Class C and D permits to sell alcoholic beverages at retail in your political subdivision will expire on **June 1, 2022**. In order to maintain permit privileges, every permit holder must file a renewal application with the Division.

Ohio Revised Code Section 4303.271(B) provides the legislative authority with the right to object to the renewal of a permit and to request a hearing. The hearing may be held in the county seat of the county in which the permit premises is located if that request is made in writing. This will be your only opportunity to object to the renewal of a liquor permit premises which might be a problem in your community.

In order to register a valid objection with the Division of Liquor Control and request a hearing, the legislative authority must pass a resolution that specifies the problems at the liquor permit premises and the legal grounds for the objection as set forth in Ohio Revised Code Section 4303.292(A). It is suggested that a separate resolution be passed for each permit premises. The Chief Legal Officer of your political subdivision must also submit a statement with the resolution that, in the Chief Legal Officer's opinion, the objection is based upon substantial legal grounds within the meaning and intent of Ohio Revised Code Section 4303.292(A). **The resolution and Chief Legal Officer's statement must be addressed to the Division of Liquor Control, Attn: Legal Section, 6606 Tussing Road, P.O. Box 4005, Reynoldsburg, Ohio 43068-9005 and postmarked no later than May 2, 2022.**

For your convenience, our website, www.com.ohio.gov/liqr, under "Local Government Resources" contains information on the objection process and other tools for dealing with problem permit locations.

You may wish to contact the law enforcement agency for your jurisdiction to determine if it has any information which will aid in your decision whether or not to object and request a hearing. For your convenience you may obtain a list of issued permit holders in your jurisdiction from our website under "What are you looking for" and clicking on "Searchable Liquor Control Information" Click on "find information on Liquor Permit Holders". Select type and statuses and enter the search criteria for your county / city / township to bring up the issued permits in your location.

If you determine that there are no permit premises within your jurisdiction that you wish to object to, you do not need to take any action. The renewal applications for those premises will be submitted by the permit holders and will be processed by the Division and issued as appropriate.

If you have any questions, please contact the Legal Section at liquorlegal@com.state.oh.us.

Sincerely,

Licensing Section

ORDINANCE NO. 2022-010

AUTHORIZING THE VILLAGE MANAGER TO ENTER INTO A CONTRACT WITH OHIO VALLEY PAINTING COMPANY IN AN AMOUNT NOT TO EXCEED \$12,944 FOR THE REFURBISHING OF LIGHT AND STREET SIGN POLES

WHEREAS, the Village of Waynesville has requested proposals for work related to the refurbishing of street light and street sign poles; and

WHEREAS, Ohio Valley Painting Company submitted the lowest and best proposal for said work with a total proposal of \$12,944.

NOW, THEREFORE, BE IT ORDAINED by the Village Council of the Village of Waynesville, _____ members elected thereto concurring:

Section 1. The Village of Waynesville accepts the specifications and agrees that Ohio Valley Painting Company is the lowest and bid bidder.

Section 2. That the Village Manager is hereby authorized to enter into a contract with Ohio Valley Painting Company for the refurbishing of street light and street sign poles pursuant to the terms of the proposal attached hereto as Exhibit A, incorporated herein by reference.

Section 3. That the Finance Director is hereby authorized to pay a sum not to exceed \$12,944 for said work in accordance with the proposal and specifications attached hereto and incorporated herein by reference.

Section 4. That this Ordinance shall be effective from and after the earliest period allowed by law.

Adopted this _____ day of _____, 2022.

Attest: _____
Clerk of Council

Mayor



270 Vermont Avenue • Dayton, Ohio 45404
Phone: 937-224-7361 • Fax: 937-224-7578
www.ohiovalleypainting.com

Jeff@ohiovalleypainting.com • Derrell@ohiovalleypainting.com
Ryan@ohiovalleypainting.com

3/14/2022

Village of Waynesville
1400 Lytle Road
Waynesville, OH 45068
513-897-8015

Attn: Chief Copeland

Re: Light Pole Painting

Below are the estimated costs for work to be performed at the above listed facility. This bid is the result of the site visit held on Wednesday March 9th 2022.

The Ohio Valley Painting Company proposes to furnish labor, material, equipment, insurance and supervision to prep and paint the existing 12ft light poles and street signs:

52 LIGHT POLES: \$10,244.00

18 STREET SIGNS: \$2,700.00

Proposal Qualifications:


- Color TBD, doesn't affect price
- Steel prepped and primed with Macropoxy 646, Polyurethane finish

Sincerely,

Derrell Duncan

Derrell Duncan

Ohio Valley Painting Co., Inc. Since 1954



Protective & Marine Coatings

MACROPOXY® 646-100 FAST CURE EPOXY

PART A
PART B

B58-620
B58V620

SERIES
HARDENER

Revised: October 19, 2016

PRODUCT INFORMATION

4.52

PRODUCT DESCRIPTION

MACROPOXY 646-100 FAST CURE EPOXY is a high solids, less than 100 g/L VOC, high build, fast drying, polyamide epoxy designed to protect steel and concrete in industrial exposures. Ideal for maintenance painting and fabrication shop applications. The high solids content ensures adequate protection of sharp edges, corners, and welds. This product can be applied directly to marginally prepared steel surfaces.

- Low VOC, <100 g/L
- Low odor
- Outstanding application properties
- Chemical resistant
- Abrasion resistant

PRODUCT CHARACTERISTICS

Finish:	Semi-Gloss
Color:	Mill White and a wide range of colors available through tinting
Volume Solids:	73% ± 2%, mixed
Mill White	
Weight Solids:	83% ± 2%, mixed
Mill White	
VOC (EPA Method 24):	Unreduced: <100 g/L; .83 lb/gal
mixed	Reduced 10%: <100 g/L; .83 lb/gal
Mix Ratio:	1:1 by volume

Recommended Spreading Rate per coat:

	Minimum	Maximum
Wet mils (microns)	7.0 (175)	13.5 (338)
Dry mils (microns)	5.0* (125)*	10.0* (250)*
~Coverage sq ft/gal (m²/L)	116 (2.8)	232 (5.7)
Theoretical coverage sq ft/gal (m²/L) @ 1 mil / 25 microns dft	1168 (28.6)	

NOTE: Brush or roll application may require multiple coats to achieve maximum film thickness and uniformity of appearance.

*May be applied at 3.0-10.0 mils (75-250 microns) dft in a multi-coat system. Refer to Recommended Systems and Performance Tips Sections.

Drying Schedule @ 7.0 mils wet (175 microns):

	@ 40°F/4.5°C	@ 77°F/25°C 50% RH	@ 100°F/38°C
To touch:	4-5 hours	2 hours	1.5 hours
To handle:	48 hours	8 hours	4.5 hours
To recoat:			
minimum:	48 hours	8 hours	4.5 hours
maximum:	1 year	1 year	1 year
Cure for			
service:	10 days	7 days	4 days
immersion:	14 days	7 days	4 days

*If maximum recoat time is exceeded, abrade surface before recoating.
Drying time is temperature, humidity, and film thickness dependent.*

Pot Life:	10 hours	4 hours	2 hours
Sweat-in-time:	30 minutes	30 minutes	15 minutes

Shelf Life:	36 months, unopened Store indoors at 40°F (4.5°C) to 100°F (38°C).
Flash Point:	61°F (16°C), PMCC, mixed
Reducer/Clean Up:	Reducer R7K111 or Oxsol 100

RECOMMENDED USES

- Marine applications
- Fabrication shops
- Pulp and paper mills
- Power plants
- Offshore platforms
- Mill White is acceptable for immersion use for salt water and fresh water
- Not acceptable for potable water
- Suitable for use in USDA inspected facilities
- Acceptable for use in Canadian Food Processing facilities, categories: D3 (Confirm acceptance of specific part numbers/rexes with your SW Sales Representative)
- Conforms to AWWA D102 OCS #5
- Approved with FIRETEX hydrocarbon coatings
- Refineries
- Chemical plants
- Tank exteriors
- Water treatment plants

PERFORMANCE CHARACTERISTICS

Substrate*: Steel

Surface Preparation*: SSPC-SP10/NACE 2

System Tested*:

1 ct. Macropoxy 646-100 Fast Cure @ 6.0 mils (150 microns) dft


*unless otherwise noted below

Test Name	Test Method	Results
Abrasion Resistance	ASTM D4060, CS17 wheel, 1000 cycles, 1 kg load	84 mg loss
Accelerated Weathering - QUV¹	ASTM D4587, QUV-A, 12,000 hours	Passes
Adhesion	ASTM D4541	1,037 psi
Corrosion Weathering¹	ASTM D5894, 36 cycles, 12,000 hours	Rating 10 per ASTM D714 for blistering; Rating 9 per ASTM D610 for rusting
Direct Impact Resistance	ASTM D2794	30 in. lb.
Dry Heat Resistance	ASTM D2485	250°F (121°C)
Exterior Durability	1 year at 45° South	Excellent, chalks
Flexibility	ASTM D522, 180° blend, 3/4" mandrel	Passes
Immersion	1 year fresh and salt water	Passes, no rusting, blistering, or loss of adhesion
Pencil Hardness	ASTM D3363	3H
Salt Fog Resistance¹	ASTM B117, 6,500 hours	Rating 10 per ASTM D610 for rusting; Rating 9 per ASTM D1654 for corrosion
Water Vapor Permeance	ASTM D1653, Method B	1.16 grains/day

Epoxy coatings may darken or discolor following application and curing.

Footnotes:

¹ Zinc Clad II Plus Primer



Protective & Marine Coatings

MACROPOXY® 646-100 FAST CURE EPOXY

PART A
PART B

B58-620
B58V620

SERIES
HARDENER

Revised: October 19, 2016

PRODUCT INFORMATION

4.52

RECOMMENDED SYSTEMS

	Dry Film Thickness / ct.	
	Mils	(Microns)
Immersion and atmospheric:		
Steel:		
2 cts. Macropoxy 646-100	5.0-10.0	(125-250)
Concrete/Masonry, smooth:		
2 cts. Macropoxy 646-100	5.0-10.0	(125-250)
Concrete Block:		
1 ct. Kem Cati-Coat HS Epoxy Filler/Sealer as needed to fill voids and provide a continuous substrate.	10.0-20.0	(250-500)
2 cts. Macropoxy 646-100	5.0-10.0	(125-250)
Atmospheric:		
*Steel:		
(Shop applied system, new construction, AWWA D102, can also be used at 3 mils (75 microns) dft when used as part of a multi-coat system)		
1 ct. Macropoxy 646-100 Fast Cure Epoxy	3.0-6.0	(75-150)
1-2 cts. of recommended topcoat		
Steel:		
1 ct. Recoatable Epoxy Primer	4.0-6.0	(100-150)
2 cts. Macropoxy 646-100	5.0-10.0	(125-250)
Steel:		
1 ct. Macropoxy 646-100	3.0-10.0	(75-250)
1-2 cts. Acrolon 218 Polyurethane or Hi-Solids Polyurethane or SherThane 2K Urethane	3.0-6.0 3.0-5.0 2.0-4.0	(75-150) (75-125) (50-100)
Steel:		
2 cts. Macropoxy 646-100	5.0-10.0	(125-250)
1-2 cts. Tile-Clad HS Epoxy	2.5-4.0	(63-100)
Steel:		
1 ct. Zinc Clad II Plus	3.0-6.0	(75-150)
1 ct. Macropoxy 646-100	3.0-10.0	(75-250)
1-2 cts. Acrolon 218 Polyurethane	3.0-6.0	(75-150)
Steel:		
1 ct. Zinc Clad III HS	3.0-5.0	(75-125)
or Zinc Clad IV	3.0-5.0	(75-125)
1 ct. Macropoxy 646-100	3.0-10.0	(75-250)
1-2 cts. Hi-Solids Polyurethane-100	3.0-6.0	(75-150)
Aluminum:		
2 cts. Macropoxy 646-100	5.0-10.0	(125-250)
Galvanizing:		
2 cts. Macropoxy 646-100	5.0-10.0	(125-250)

The systems listed above are representative of the product's use, other systems may be appropriate.

DISCLAIMER

The information and recommendations set forth in this Product Data Sheet are based upon tests conducted by or on behalf of The Sherwin-Williams Company. Such information and recommendations set forth herein are subject to change and pertain to the product offered at the time of publication. Consult your Sherwin-Williams representative to obtain the most recent Product Data Information and Application Bulletin.

SURFACE PREPARATION

Surface must be clean, dry, and in sound condition. Remove all oil, dust, grease, dirt, loose rust, and other foreign material to ensure adequate adhesion.

Refer to product Application Bulletin for detailed surface preparation information.

Minimum recommended surface preparation:

Iron & Steel	
Atmospheric:	SSPC-SP2/3
Immersion:	SSPC-SP10/NACE 2, 2-3 mil (50-75 micron) profile
Aluminum:	
Galvanizing:	SSPC-SP1
Concrete & Masonry	
Atmospheric:	SSPC-SP13/NACE 6, or ICRI No. 310.2R, CSP 1-3
Immersion:	SSPC-SP13/NACE 6-4.3.1 or 4.3.2, or ICRI No. 310.2R, CSP 1-3

Surface Preparation Standards

Condition of Surface	ISO 8501-1		NACE
	BS7079:A1	SSPC	
White Metal	Sa 3	SP 5	1
Near White Metal	Sa 2.5	SP 10	2
Commercial Blast	Sa 2	SP 6	3
Brush-Off Blast	Sa 1	SP 7	4
Hand Tool Cleaning	C St 2	SP 2	-
Pitted & Rusted	D St 2	SP 2	-
Rusted	C St 3	SP 3	-
Power Tool Cleaning	Pitted & Rusted	D St 3	SP 3

TINTING

Tint Part A with Maxitones at 150% strength. Five minutes minimum mixing on a mechanical shaker is required for complete mixing of color.

Tinting is not recommended for immersion service.

APPLICATION CONDITIONS

Temperature:	40°F (4.5°C) minimum, 140°F (60°C) maximum (air, surface, and material)
Relative humidity:	At least 5°F (2.8°C) above dew point 85% maximum

Refer to product Application Bulletin for detailed application information.

ORDERING INFORMATION

Packaging:	
Part A:	1 gallon (3.78L) and 5 gallon (18.9L) containers
Part B:	1 gallon (3.78L) and 5 gallon (18.9L) containers
Weight:	
	13.24 ± 0.2 lb/gal ; 1.6 Kg/L mixed, may vary by color


SAFETY PRECAUTIONS

Refer to the MSDS sheet before use.

Published technical data and instructions are subject to change without notice. Contact your Sherwin-Williams representative for additional technical data and instructions.

WARRANTY

The Sherwin-Williams Company warrants our products to be free of manufacturing defects in accord with applicable Sherwin-Williams quality control procedures. Liability for products proven defective, if any, is limited to replacement of the defective product or the refund of the purchase price paid for the defective product as determined by Sherwin-Williams. NO OTHER WARRANTY OR GUARANTEE OF ANY KIND IS MADE BY SHERWIN-WILLIAMS, EXPRESSED OR IMPLIED, STATUTORY, BY OPERATION OF LAW OR OTHERWISE, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.



**Protective
&
Marine
Coatings**

**MACROPOXY® 646-100
FAST CURE EPOXY**

**PART A
PART B**

**B58-620
B58V620**

**SERIES
HARDENER**

Revised: October 19, 2016

APPLICATION BULLETIN

4.52

SURFACE PREPARATIONS

Surface must be clean, dry, and in sound condition. Remove all oil, dust, grease, dirt, loose rust, and other foreign material to ensure adequate adhesion.

Iron & Steel, Atmospheric Service:

Minimum surface preparation is Hand Tool Clean per SSPC-SP2. Remove all oil and grease from surface by Solvent Cleaning per SSPC-SP1. For better performance, use Commercial Blast Cleaning per SSPC-SP6/NACE 3, blast clean all surfaces using a sharp, angular abrasive for optimum surface profile (2-3 mils / 50 microns). Prime any bare steel within 8 hours or before flash rusting occurs.

Iron & Steel, Immersion Service:

Remove all oil and grease from surface by Solvent Cleaning per SSPC-SP1. Minimum surface preparation is Near White Metal Blast Cleaning per SSPC-SP10/NACE 2. Blast clean all surfaces using a sharp, angular abrasive for optimum surface profile (2-3 mils / 50-75 microns). Remove all weld spatter and round all sharp edges by grinding. Prime any bare steel the same day as it is cleaned.

Aluminum

Remove all oil, grease, dirt, oxide and other foreign material by Solvent Cleaning per SSPC-SP1.

Galvanized Steel

Allow to weather a minimum of six months prior to coating. Solvent Clean per SSPC-SP1 (recommended solvent is VM&P Naphtha). When weathering is not possible, or the surface has been treated with chromates or silicates, first Solvent Clean per SSPC-SP1 and apply a test patch. Allow paint to dry at least one week before testing adhesion. If adhesion is poor, brush blasting per SSPC-SP7 is necessary to remove these treatments. Rusty galvanizing requires a minimum of Hand Tool Cleaning per SSPC-SP2, prime the area the same day as cleaned.

Concrete and Masonry

For surface preparation, refer to SSPC-SP13/NACE 6, or ICRI No. 310.2R, CSP 1-3. Surfaces should be thoroughly clean and dry. Concrete and mortar must be cured at least 28 days @ 75°F (24°C). Remove all loose mortar and foreign material. Surface must be free of laitance, concrete dust, dirt, form release agents, moisture curing membranes, loose cement and hardeners. Fill bug holes, air pockets and other voids with Steel-Seam FT910.

Concrete, Immersion Service:

For surface preparation, refer to SSPC-SP13/NACE 6, Section 4.3.1 or 1.3.2 or ICRI No. 310.2R, CSP 1-3.

Follow the standard methods listed below when applicable:

ASTM D4258 Standard Practice for Cleaning Concrete.
ASTM D4259 Standard Practice for Abrading Concrete.
ASTM D4260 Standard Practice for Etching Concrete.
ASTM F1869 Standard Test Method for Measuring Moisture Vapor Emission Rate of Concrete.
SSPC-SP 13/Nace 6 Surface Preparation of Concrete.
ICRI No. 310.2R Concrete Surface Preparation.

Previously Painted Surfaces

If in sound condition, clean the surface of all foreign material. Smooth, hard or glossy coatings and surfaces should be dulled by abrading the surface. Apply a test area, allowing paint to dry one week before testing adhesion. If adhesion is poor, or if this product attacks the previous finish, removal of the previous coating may be necessary. If paint is peeling or badly weathered, clean surface to sound substrate and treat as a new surface as above.

Surface Preparation Standards

Condition of Surface	ISO 8501-1	SSPC	NACE
White Metal	BS7079:A1	SP 5	1
Near White Metal	Sa 3	SP 10	2
Commercial Blast	Sa 2.5	SP 6	3
Brush-Off Blast	Sa 2	SP 7	4
Hand Tool Cleaning	Sa 1	SP 2	-
Rusted	C St 2	SP 2	-
Pitted & Rusted	D St 2	SP 2	-
Rusted	C St 3	SP 3	-
Power Tool Cleaning	D St 3	SP 3	-
Pitted & Rusted	D St 3	SP 3	-

APPLICATION CONDITIONS

Temperature: 40°F (4.5°C) minimum, 140°F (60°C) maximum (air, surface, and material)
At least 5°F (2.8°C) above dew point

Relative humidity: 85% maximum

APPLICATION EQUIPMENT

The following is a guide. Changes in pressures and tip sizes may be needed for proper spray characteristics. Always purge spray equipment before use with listed reducer. Any reduction must be compliant with existing VOC regulations and compatible with the existing environmental and application conditions.

Reducer/Clean UpReducer R7K111 or Oxsol 100

Airless Spray

Pump.....30:1
Pressure.....2800 - 3000 psi
Hose.....1/4" ID
Tip017" - .023"
Filter60 mesh
Reduction.....As needed up to 10% by volume

Conventional Spray

GunDeVilbiss MBC-510
Fluid TipE
Air Nozzle.....704
Atomization Pressure.....60-65 psi
Fluid Pressure.....10-20 psi
Reduction.....As needed up to 10% by volume
Requires oil and moisture separators


Brush

Brush.....Nylon/Polyester or Natural Bristle
Reduction.....Not recommended

Roller

Cover3/8" woven with solvent resistant core
Reduction.....Not recommended

If specific application equipment is not listed above, equivalent equipment may be substituted.



Protective & Marine Coatings

MACROPOXY® 646-100 FAST CURE EPOXY

PART A
PART B

B58-620
B58V620

SERIES
HARDENER

Revised: October 19, 2016

APPLICATION BULLETIN

4.52

APPLICATION PROCEDURES

Surface preparation must be completed as indicated.

Mix contents of each component thoroughly with low speed power agitation. Make certain no pigment remains on the bottom of the can. Then combine one part by volume of Part A with one part by volume of Part B. Thoroughly agitate the mixture with power agitation. Allow the material to sweat-in as indicated prior to application. Re-stir before using.

If reducer solvent is used, add only after both components have been thoroughly mixed, after sweat-in.

Apply paint at the recommended film thickness and spreading rate as indicated below:

Recommended Spreading Rate per coat:

	Minimum	Maximum
Wet mils (microns)	7.0 (175)	13.5 (338)
Dry mils (microns)	5.0* (125)	10.0* (250)*
~Coverage sq ft/gal (m ² /L)	116 (2.8)	232 (5.7)
Theoretical coverage sq ft/gal (m ² /L) @ 1 mil / 25 microns dft	1168 (28.6)	

NOTE: Brush or roll application may require multiple coats to achieve maximum film thickness and uniformity of appearance.

*May be applied at 3.0-10.0 mils (75-250 microns) dft in a multi-coat system. Refer to Recommended Systems and Performance Tips Sections.

Drying Schedule @ 7.0 mils wet (175 microns):

	@ 40°F/4.5°C	@ 77°F/25°C 50% RH	@ 100°F/38°C
To touch:	4-5 hours	2 hours	1.5 hours
To handle:	48 hours	8 hours	4.5 hours
To recoat:			
minimum:	48 hours	8 hours	4.5 hours
maximum:	1 year	1 year	1 year
Cure for			
service:	10 days	7 days	4 days
immersion:	14 days	7 days	4 days

If maximum recoat time is exceeded, abrade surface before recoating. Drying time is temperature, humidity, and film thickness dependent.

Pot Life:	10 hours	4 hours	2 hours
Sweat-in-time:	30 minutes	30 minutes	15 minutes

Application of coating above maximum or below minimum recommended spreading rate may adversely affect coating performance.

CLEAN UP INSTRUCTIONS

Clean spills and spatters immediately with Reducer R7K111 or Oxsol 100. Clean tools immediately after use with Reducer R7K111 or Oxsol 100. Follow manufacturer's safety recommendations when using any solvent.

DISCLAIMER

The information and recommendations set forth in this Product Data Sheet are based upon tests conducted by or on behalf of The Sherwin-Williams Company. Such information and recommendations set forth herein are subject to change and pertain to the product offered at the time of publication. Consult your Sherwin-Williams representative to obtain the most recent Product Data Information and Application Bulletin.

PERFORMANCE TIPS

Stripe coat all crevices, welds, and sharp angles to prevent early failure in these areas.

When using spray application, use a 50% overlap with each pass of the gun to avoid holidays, bare areas, and pinholes. If necessary, cross spray at a right angle

Spreading rates are calculated on volume solids and do not include an application loss factor due to surface profile, roughness or porosity of the surface, skill and technique of the applicator, method of application, various surface irregularities, material lost during mixing, spillage, overthinning, climatic conditions, and excessive film build.

Excessive reduction of material can affect film build, appearance, and adhesion.

Do not mix previously catalyzed material with new.

Do not apply the material beyond recommended pot life.

In order to avoid blockage of spray equipment, clean equipment before use or before periods of extended downtime with Reducer R7K111 or Oxsol 100.

Insufficient ventilation, incomplete mixing, miscatalyzation, and external heaters may cause premature yellowing.

Excessive film build, poor ventilation, and cool temperatures may cause solvent entrapment and premature coating failure.

Tinting is not recommended for immersion service.

Use only Mil White for immersion service.

Quik-Kick Epoxy Accelerator is acceptable for use. See data page 4.99 for details.

Application of coating above maximum or below minimum recommended spreading rate may adversely affect coating performance.

For Immersion Service: (if required) Holiday test in accordance with ASTM D5162 for steel, or ASTM D4787 for concrete. When coating over steel in a zinc/epoxy/epoxy, or epoxy/epoxy/epoxy system, Macropoxy 646-100 must be applied at a minimum dft of 3.0 mils per coat.

Acceptable for Concrete Floors.

Refer to Product Information sheet for additional performance characteristics and properties.


SAFETY PRECAUTIONS

Refer to the MSDS sheet before use.

Published technical data and instructions are subject to change without notice. Contact your Sherwin-Williams representative for additional technical data and instructions.

WARRANTY

The Sherwin-Williams Company warrants our products to be free of manufacturing defects in accord with applicable Sherwin-Williams quality control procedures. Liability for products proven defective, if any, is limited to replacement of the defective product or the refund of the purchase price paid for the defective product as determined by Sherwin-Williams. NO OTHER WARRANTY OR GUARANTEE OF ANY KIND IS MADE BY SHERWIN-WILLIAMS, EXPRESSED OR IMPLIED, STATUTORY, BY OPERATION OF LAW OR OTHERWISE, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.



Protective & Marine Coatings

HI-SOLIDS POLYURETHANE

PART S B65-300 GLOSS SERIES
PART S B65-350 SEMI-GLOSS SERIES
PART S B65WW305 MR, WHITE TINT BASE (GLOSS)
PART T B60V30 HARDENER

Revised: April 27, 2016

PRODUCT INFORMATION

5.21

PRODUCT DESCRIPTION

HI-SOLIDS POLYURETHANE is a two-component, low VOC, aliphatic, acrylic polyurethane resin coating. It is designed for high performance protection with outstanding exterior gloss and color retention.

- Good/excellent resistance to corrosion and weathering
- Outstanding color and gloss retention
- Chemical resistant
- Part of a system tested for nuclear irradiation and decontamination, Level II
- Resists film attack by mildew (MR White only)
- Outstanding application properties

PRODUCT CHARACTERISTICS

Finish: High Gloss or Semi-Gloss
Color: Wide range of colors possible
Volume Solids: 65% ± 2%, mixed, may vary by color
Weight Solids: 77% ± 2%, mixed, may vary by color
VOC (EPA Method 24): Unreduced: <340g/L; 2.80 lb/gal mixed
 Reduced 15%: <370 g/L; 3.08 lb/gal
 May vary by color
Mix Ratio: 4:1 by volume

Recommended Spreading Rate per coat:

	Minimum	Maximum
Wet mils (microns)	4.5 (112)	8.0 (200)
Dry mils (microns)	3.0 (75)	5.0 (125)
~Coverage sq ft/gal (m²/L)	208 (5.1)	347 (8.5)
Theoretical coverage sq ft/gal (m²/L) @ 1 mil / 25 microns dft	1040 (25.5)	

NOTE: Brush or roll application may require multiple coats to achieve maximum film thickness and uniformity of appearance.

Drying Schedule @ 4.5 mils wet (112 microns):

	@ 40°F/4.5°C	@ 77°F/25°C 50% RH	@ 120°F/49°C
To touch:	4 hours	2 hours	1 hour
To handle:	16 hours	8 hours	5 hours
To recoat:			
minimum	24 hours	18 hours	10 hours
maximum	14 days	14 days	14 days
To cure:	14 days	10 days	7 days
Pot Life:	8 hours	4 hours	2 hours
Sweat-in-Time:	None required		

If maximum recoat time is exceeded, abrade surface before recoating. Drying time is temperature, humidity, and film thickness dependent.

Shelf Life: Part S - 36 months, unopened
 Part T - 24 months, unopened
 Store indoors at 40°F (4.5°C) to 100°F (38°C).

Flash Point: 80°F (27°C), PMCC, mixed

Reducer/Clean Up:
 Below 80°F (27°C): Reducer #69, R7K69 or R7K111
 Above 80°F (27°C): Reducer #58 or R6K32

RECOMMENDED USES

- For use over prepared substrates in industrial environments
- Heavy duty interior and exterior structural coating
- A chemical and abrasion resistant equipment and machinery finish
- A gloss and color retentive heavy duty maintenance coating for use in "high visibility" areas
- Exterior surfaces of steel tanks
- Refineries
- Clean rooms
- Chemical processing equipment
- Conveyors
- Handrails
- Marine & Offshore Applications
- Power Plants
- Resists film attack by mildew (MR White only)
- Suitable for use in USDA inspected facilities
- Acceptable for use in Canadian Food Processing facilities categories: D1, D3 (Confirm acceptance of specific part numbers/rexes with your SW Sales Representative)
- Conforms to AWWA D102 OCS #5 & #6.
- Acceptable for use in high performance architectural applications
- As topcoat for NEPCOAT System A
- Over FIRETEX hydrocarbon systems

PERFORMANCE CHARACTERISTICS

Substrate*: Steel

Surface Preparation*: SSPC-SP6/NACE 3

System Tested*:


- 1 ct. Recoatable Epoxy Primer @ 4.0 mils (100 microns) dft
 - 1 ct. Hi-Solids Polyurethane Gloss @ 3.0 mils (75 microns) dft
- *unless otherwise noted below

Test Name	Test Method	Results
Abrasion Resistance	ASTM D4060, CS17 wheel, 1000 cycles, 1 kg load	87.1 mg loss
Adhesion	ASTM D4541	1050 psi
Corrosion Weathering¹	ASTM D5894, 21 cycles, 7056 hours	Rating 10 per ASTM D714 for blistering; Rating 9 per ASTM D610 for rusting
Direct Impact Resistance	ASTM D2794	>28 in. lbs.
Dry Heat Resistance	ASTM D2485	200°F (93°C)
Flexibility	ASTM D522, 180° bend, 1/8" mandrel	Passes
Moisture Condensation Resistance	ASTM D4585, 100°F (38°C), 1000 hours	No rusting, blistering, or delamination
Pencil Hardness	ASTM D3363	F
Salt Fog Resistance¹	ASTM B117, 9000 hours	Rating 10 per ASTM D714 for blistering; Rating 9 per ASTM D610 for rusting
Surface Burning	ASTM E84	Flame Spread Index 0; Smoke Development Index 0 (at 3.5 mils or 88 microns)
Thermal Shock	ASTM D2246, 15 cycles	Excellent

Meets the requirements of SSPC Paint No. 36, Level 3 for white and light colors. Dark colors may require a clear coat.

Footnotes:

¹ Primer: Zinc Clad II Plus; Intermediate - Recoatable Epoxy Primer



Protective & Marine Coatings

HI-SOLIDS POLYURETHANE

PART S	B65-300	GLOSS SERIES
PART S	B65-350	SEMI-GLOSS SERIES
PART S	B65WW305	MR, WHITE TINT BASE (GLOSS)
PART T	B60V30	HARDENER

Revised: April 27, 2016

PRODUCT INFORMATION

5.21

RECOMMENDED SYSTEMS

	Dry Film Thickness / ct.	
	Mils	(Microns)
Steel: Epoxy Primer		
1 ct. Recoatable Epoxy Primer	4.0-6.0	(100-150)
1-2 cts. Hi-Solids Polyurethane	3.0-5.0	(75-125)
Steel: Epoxy Primer		
1 ct. Dura-Plate 235	4.0-8.0	(100-200)
1-2 cts. Hi-Solids Polyurethane	3.0-5.0	(75-125)
Steel: Zinc Rich Primer		
1 ct. Zinc Clad II Plus	2.0-4.0	(50-100)
1 ct. Macropoxy 646	5.0-10.0	(125-250)
1-2 cts. Hi-Solids Polyurethane	3.0-5.0	(75-125)
Steel: Epoxy Mastic Primer		
1 ct. Macropoxy 646	5.0-10.0	(125-250)
1-2 cts. Hi-Solids Polyurethane	3.0-5.0	(75-125)
Steel: Universal Primer		
1 ct. Kem Bond HS Metal	2.0-5.0	(50-125)
1-2 cts. Hi-Solids Polyurethane	3.0-5.0	(75-125)
Steel: NEPCOAT		
1 ct. Zinc Clad DOT	2.0-4.0	(50-100)
1 ct. Steel Spec Epoxy Intermediate	3.0-6.0	(75-150)
1 ct. Hi-Solids Polyurethane	3.0-5.0	(75-125)
Aluminum:		
1 ct. DTM Wash Primer	0.7-1.3	(18-32)
1-2 cts. Hi-Solids Polyurethane	3.0-5.0	(75-125)
Concrete:		
1 ct. Kem Cati-Coat Epoxy HS Filler/Sealer	10.0-15.0	(250-375)
1-2 cts. Hi-Solids Polyurethane	3.0-5.0	(75-125)
Galvanized Metal:		
1 ct. Recoatable Epoxy Primer	4.0-6.0	(100-150)
1-2 cts. Hi-Solids Polyurethane	3.0-5.0	(75-125)

FIRETEX ONLY:

Finish Coat for FIRETEX Hydrocarbon Systems:

1 ct. Hi-Solids Polyurethane*

*Consult FIRETEX PFP Specialist for recommended dft range

The systems listed above are representative of the product's use, other systems may be appropriate.

DISCLAIMER

The information and recommendations set forth in this Product Data Sheet are based upon tests conducted by or on behalf of The Sherwin-Williams Company. Such information and recommendations set forth herein are subject to change and pertain to the product offered at the time of publication. Consult your Sherwin-Williams representative to obtain the most recent Product Data Information and Application Bulletin.

SURFACE PREPARATION

Surface must be clean, dry, and in sound condition. Remove all oil, dust, grease, dirt, loose rust, and other foreign material to ensure adequate adhesion.

Refer to product Application Bulletin for detailed surface preparation information.

Minimum recommended surface preparation:

- * Iron & Steel: SSPC-SP6/NACE 3, 2 mil (50 micron) profile
- * Aluminum: SSPC-SP1
- * Galvanizing: SSPC-SP1
- * Concrete & Masonry: SSPC-SP13/NACE 6, or ICRI No. 310.2R, CSP 1-3

* Primer Required

Surface Preparation Standards

Condition of Surface	ISO 8501-1 BS7079:A1	Swedish Std. SIS056900	SSPC	NACE
White Metal	Sa 3	Sa 3	SP 5	1
Near White Metal	Sa 2.5	Sa 2.5	SP 10	2
Commercial Blast	Sa 2	Sa 2	SP 6	3
Brush-Off Blast	Sa 1	Sa 1	SP 7	4
Hand Tool Cleaning	Rusted C St 2	OC St 2	SP 2	-
Pitted & Rusted	D St 2	DC St 2	SP 3	-
Rusted	C St 3	OC St 3	SP 2	-
Power Tool Cleaning	Pitted & Rusted D St 3	DC St 3	SP 3	-

TINTING

Tint with Maxitoner Colorants *only* into Part S. Extra White tints at 200% tint strength. Ultradeep tints at 150% tint strength. Five minutes minimum mixing on a mechanical shaker is required for complete mixing of color.

APPLICATION CONDITIONS

Temperature: 35°F (1.7°C) minimum
120°F (49°C) maximum
(air, surface, and material)
At least 5°F (2.8°C) above dew point

Relative humidity: 85% maximum

Refer to product Application Bulletin for detailed application information.

ORDERING INFORMATION

Packaging:
Part S: 1 gallon (3.78L) and 4 gallon (15.1L) kits
Part T: quarts (0.94L) and gallons (3.78L)

Weight: 10.7 ± 0.2 lb/gal ; 1.28 Kg/L
mixed, may vary with color


SAFETY PRECAUTIONS

Refer to the MSDS sheet before use.

Published technical data and instructions are subject to change without notice. Contact your Sherwin-Williams representative for additional technical data and instructions.

WARRANTY

The Sherwin-Williams Company warrants our products to be free of manufacturing defects in accord with applicable Sherwin-Williams quality control procedures. Liability for products proven defective, if any, is limited to replacement of the defective product or the refund of the purchase price paid for the defective product as determined by Sherwin-Williams. NO OTHER WARRANTY OR GUARANTEE OF ANY KIND IS MADE BY SHERWIN-WILLIAMS, EXPRESSED OR IMPLIED, STATUTORY, BY OPERATION OF LAW OR OTHERWISE, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.



Protective & Marine Coatings

HI-SOLIDS POLYURETHANE

PART S	B65-300	GLOSS SERIES
PART S	B65-350	SEMI-GLOSS SERIES
PART S	B65WW305	MR, WHITE TINT BASE (GLOSS)
PART T	B60V30	HARDENER

Revised: April 27, 2016

APPLICATION BULLETIN

5.21

SURFACE PREPARATIONS

Surface must be clean, dry, and in sound condition. Remove all oil, dust, grease, dirt, loose rust, and other foreign material to ensure adequate adhesion.

Iron & Steel

Remove all oil and grease from surface by Solvent Cleaning per SSPC-SP1. Minimum surface preparation is Commercial Blast Cleaning per SSPC-SP6/NACE 3. For better performance, use Near White Metal Blast Cleaning per SSPC-SP10/NACE 2. Blast clean all surfaces using a sharp, angular abrasive for optimum surface profile (2 mils / 50 microns). Prime any bare steel the same day as it is cleaned or before flash rusting occurs.

Aluminum

Remove all oil, grease, dirt, oxide and other foreign material by Solvent Cleaning per SSPC-SP1. Primer required.

Galvanized Steel

Allow to weather a minimum of six months prior to coating. Remove all oil, grease, dirt, oxide and other foreign material by Solvent Cleaning per SSPC-SP1. When weathering is not possible, or the surface has been treated with chromates or silicates, first Solvent Clean per SSPC-SP1 and apply a test patch. Allow paint to dry at least one week before testing adhesion. If adhesion is poor, brush blasting per SSPC-SP7 is necessary to remove these treatments. Rusty galvanizing requires a minimum of Hand Tool Cleaning per SSPC-SP2, prime the area the same day as cleaned. Primer required.

Concrete and Masonry

For surface preparation, refer to SSPC-SP13/NACE 6, or ICRI No. 310.2R, CSP 1-3. Surfaces should be thoroughly clean and dry. Concrete and mortar must be cured at least 28 days @ 75°F (24°C). Remove all loose mortar and foreign material. Surface must be free of laitance, concrete dust, dirt, form release agents, moisture curing membranes, loose cement and hardeners. Fill bug holes, air pockets and other voids with Steel-Seam FT910. Primer required.

Follow the standard methods listed below when applicable:

ASTM D4258 Standard Practice for Cleaning Concrete.
ASTM D4259 Standard Practice for Abrading Concrete.
ASTM D4260 Standard Practice for Etching Concrete.
ASTM F1869 Standard Test Method for Measuring Moisture Vapor Emission Rate of Concrete.
SSPC-SP 13/Nace 6 Surface Preparation of Concrete.
ICRI No. 310.2R Concrete Surface Preparation.

Surface Preparation Standards

Condition of Surface	ISO 8501-1	Swedish Std.	SSPC	NACE
White Metal	BS7079:A1	SIS056900	SP 5	1
Near White Metal	Sa 3	Sa 3	SP 10	2
Commercial Blast	Sa 2.5	Sa 2.5	SP 6	3
Brush-Off Blast	Sa 2	Sa 2	SP 7	4
Hand Tool Cleaning	Sa 1	Sa 1	SP 2	-
Rusted	C St 2	C St 2	SP 2	-
Pitted & Rusted	D St 2	D St 2	SP 2	-
Power Tool Cleaning	Rusted	C St 3	SP 3	-
	Pitted & Rusted	D St 3	SP 3	-

APPLICATION CONDITIONS

Temperature: 35°F (1.7°C) minimum
120°F (49°C) maximum
(air, surface, and material)
At least 5°F (2.8°C) above dew point

Relative humidity: 85% maximum

APPLICATION EQUIPMENT

The following is a guide. Changes in pressures and tip sizes may be needed for proper spray characteristics. Always purge spray equipment before use with listed reducer. Any reduction must be compliant with existing VOC regulations and compatible with the existing environmental and application conditions.

Reducer/Clean Up

Below 80°F (27°C) Reducer #69, R7K69 or R7K111
Above 80°F (27°C) Reducer #58 or R6K32

Airless Spray

Pressure 2500 - 2800 psi
Hose 3/8" ID
Tip013" - .017"
Filter none
Reduction As needed up to 10% by volume

Conventional Spray

Gun Binks 95
Fluid Nozzle 63 B
Atomization Pressure 50 - 70 psi
Fluid Pressure 20 - 25 psi
Reduction As needed up to 15% by volume

Brush

Brush Natural bristle
Reduction As needed up to 15% by volume

Roller

Cover 3/8" woven with solvent resistant core
Reduction As needed up to 15% by volume

If specific application equipment is not listed above, equivalent equipment may be substituted.



**Protective
&
Marine
Coatings**

HI-SOLIDS POLYURETHANE

PART S	B65-300	GLOSS SERIES
PART S	B65-350	SEMI-GLOSS SERIES
PART S	B65WW305	MR, WHITE TINT BASE (GLOSS)
PART T	B60V30	HARDENER

Revised: April 27, 2016

APPLICATION BULLETIN

5.21

APPLICATION PROCEDURES

Surface preparation must be completed as indicated.

Mix contents of each component thoroughly with low speed power agitation. Make certain no pigment remains on the bottom of the can. Then combine 4 parts by volume of Part S with 1 part by volume of Part T. Thoroughly agitate the mixture with power agitation.

If reducer solvent is used, add only after both components have been thoroughly mixed.

Apply paint at the recommended film thickness and spreading rate as indicated below:

Recommended Spreading Rate per coat:

	Minimum	Maximum
Wet mils (microns)	4.5 (112)	8.0 (200)
Dry mils (microns)	3.0 (75)	5.0 (125)
~Coverage sq ft/gal (m ² /L)	208 (5.1)	347 (8.5)
Theoretical coverage sq ft/gal (m ² /L) @ 1 mil / 25 microns dft	1040 (25.5)	

NOTE: Brush or roll application may require multiple coats to achieve maximum film thickness and uniformity of appearance.

Drying Schedule @ 4.5 mils wet (112 microns):

	@ 40°F/4.5°C	@ 77°F/25°C 50% RH	@ 120°F/49°C
To touch:	4 hours	2 hours	1 hour
To handle:	16 hours	8 hours	5 hours
To recoat:			
minimum	24 hours	18 hours	10 hours
maximum	14 days	14 days	14 days
To cure:	14 days	10 days	7 days
Pot Life:	8 hours	4 hours	2 hours
Sweat-in-Time:	None required		

If maximum recoat time is exceeded, abrade surface before recoating. Drying time is temperature, humidity, and film thickness dependent.

Application of coating above maximum or below minimum recommended spreading rate may adversely affect coating performance.

CLEAN UP INSTRUCTIONS

Clean spills and spatters immediately with Reducer #58. Clean tools immediately after use with Reducer #58. Follow manufacturer's safety recommendations when using any solvent.

DISCLAIMER

The information and recommendations set forth in this Product Data Sheet are based upon tests conducted by or on behalf of The Sherwin-Williams Company. Such information and recommendations set forth herein are subject to change and pertain to the product offered at the time of publication. Consult your Sherwin-Williams representative to obtain the most recent Product Data Information and Application Bulletin.

PERFORMANCE TIPS

Stripe coat all crevices, welds, and sharp angles to prevent early failure in these areas.

When using spray application, use a 50% overlap with each pass of the gun to avoid holidays, bare areas, and pinholes. If necessary, cross spray at a right angle.

Spreading rates are calculated on volume solids and do not include an application loss factor due to surface profile, roughness or porosity of the surface, skill and technique of the applicator, method of application, various surface irregularities, material lost during mixing, spillage, overthinning, climatic conditions, and excessive film build.

Excessive reduction of material can affect film build, appearance, and adhesion.

Do not apply the material beyond recommended pot life.

Do not mix previously catalyzed material with new.

In order to avoid blockage of spray equipment, clean equipment before use or before periods of extended downtime with Reducer #58.

Mixed coating is sensitive to water. Use water traps in all air lines. Moisture contact can reduce pot life and affect gloss and color.

Quick-Thane Urethane Accelerator is acceptable for use. See data page 5.97 for details.

E-Z Roll Urethane Defoamer is acceptable for use. See data page 5.99 for details.

R7K69 reducer is acceptable at temperature both above and below 80°F (28°C).

Refer to Product Information sheet for additional performance characteristics and properties.

SAFETY PRECAUTIONS

Refer to the MSDS sheet before use.

Published technical data and instructions are subject to change without notice. Contact your Sherwin-Williams representative for additional technical data and instructions.

WARRANTY

The Sherwin-Williams Company warrants our products to be free of manufacturing defects in accord with applicable Sherwin-Williams quality control procedures. Liability for products proven defective, if any, is limited to replacement of the defective product or the refund of the purchase price paid for the defective product as determined by Sherwin-Williams. NO OTHER WARRANTY OR GUARANTEE OF ANY KIND IS MADE BY SHERWIN-WILLIAMS, EXPRESSED OR IMPLIED, STATUTORY, BY OPERATION OF LAW OR OTHERWISE, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

RESOLUTION NO. 2022- 009

**A RESOLUTION EXPRESSING COUNCIL'S INTENT TO DEDICATE
CERTAIN FUNDS FOR THE REPLACEMENT OF LAMPOSTS ON
MAIN STREET**

WHEREAS, the replacement of the lampposts on Main Street is an important role of the Village government; and

WHEREAS, Council is also aware of the great expense of such a project; and

WHEREAS, Council has determined to save certain funds in anticipation of such a future project.

NOW, THEREFORE, BE IT RESOLVED by the Council of the Village of Waynesville, Ohio, _____ members elected thereto concurring:

Section 1. That it is the intent of the Village Council to annually save up to \$60,000 of general fund revenue for the next five years dedicated to the replacement of the lampposts on Main Street.

Section 2. That this Resolution does not encumber or appropriate any funds, but rather subsequent Council action will be required to encumber or appropriate funds for such a project.

Section 3. That this Resolution shall be effective from and after the earliest period allowed by law.

Passed this _____ day of _____, 2022.

Attest: _____
Clerk of Council

Mayor

ORDINANCE 2022-011

AMENDING THE SCHEDULE OF FEES AND CHARGES FOR THE VILLAGE OF WAYNESVILLE REGARDING CONDITIONAL USE PERMITS, VARIANCES, REPLACEMENT OF METER LIDS, STREET LIGHT FEES, AND WATER METERS

WHEREAS, the Village of Waynesville has previously adopted a schedule of fees and charges, as adopted by reference in Section 36.05 of the Codified Ordinances; and

WHEREAS, it is now the intention of Village Council to amend the fee schedule as it relates to certain fees.

NOW, THEREFORE, BE IT ORDAINED by the Council of the Village of Waynesville, _____ members elected thereto concurring:

Section 1. That the current Schedule for Fees and Charges for the Village of Waynesville shall be amended as set forth in the schedule attached hereto as Exhibit "A" and incorporated herein by reference.


Section 2. That this Fee Schedule shall be available for public inspection in the office of the Village Clerk.

Section 3. That this Ordinance shall be effective from and after the earliest period allowed by law.

Adopted this _____ day of _____, 2022.

Attest: _____
Clerk of Council

Mayor



2022 SCHEDULE OF FEES AND CHARGES

The following fees are established by ordinance and may be amended at any time by the Waynesville Village Council.

ALL THIRD-PARTY EXPENSES WILL BE PAID BY PROPERTY OWNER

RESPONSIBILITY OF PERMIT HOLDER

The acceptance of a permit shall bind the permit holder to the faithful observance of all lawful requirements pertaining to the installation for which the permit has been issued. It shall bind such permit holder to the regulations adopted by the Village of Waynesville. Said permit holder shall comply with all orders by any officer of the Village of Waynesville with respect to any law or ordinance, or matter pertaining to said regulations. Failure to so comply shall be justification for revocation of the permit(s) and/or certificate(s) issued.

GENERAL REGULATIONS GOVERNING FEES

- A. Commencing Work Prior to Issuance of Permit: Where a permit is required for a particular type of work, and such type of work is commenced on a project prior to receipt of a permit, the Community Development Director, or designee, shall take the necessary steps to determine whether work performed requiring inspection prior to date of permit and inspection conforms to the Village of Waynesville's Codified Ordinances. The fee for making such necessary investigations prior to issuance of such permit shall be equal to the fee for the permit and shall be in addition thereto, but in no event shall the fee for investigation prior to issuance of permit exceed \$750.00. The payment of the aforesaid fees shall not relieve any person from fully complying with the requirements of the Village of Waynesville's Codified Ordinances in the execution of the work nor from any penalty prescribed in said Codified Ordinances. Payment of the investigation fee provided by this section does not preclude prosecution pursuant to the appropriate section of the Village of Waynesville's Codified Ordinances.
- B. Reinstatement/Revocation of Permits or Certificates: When any permit or certificate is revoked because of the violation of any of the provisions of the Village of Waynesville's Codified Ordinances, the fee for reinstating such revocation shall be 50% of the fee for the original permit or certificate, but in no way shall exceed \$750.00.
- C. Changes and Additions to Plans and Specifications: Nothing in the Code shall prohibit the filing of changes and/or additions to plans and specifications at any time before the completion of work for which a permit has been issued, provided such changes and/or additions are in compliance with the Code. Such changes and/or additions after approval shall be made a part of the plans and specifications and filed as such. An additional permit shall be obtained for each such change and/or addition. If the change involves an increase in the square footage, the fee shall be based on additional square footage. If the change involves no increase in square footage, no additional fee shall be charged. No refund shall be made in the event such changes involve a decrease in

- square footage.*
- D. Expiration and Renewal of Permits: Upon expiration of a permit, in accordance with the Code's requirements, no work on the project shall be permitted until the permit is renewed. The permit fee shall be charged based on percentage of the unfinished work, as determined by Village of Waynesville.
- E. Refunds:
1. Permits: In the event that the holder of a permit decides to abandon performance of the work authorized by the permit and if no work has commenced, the holder may return the permit to the Village of Waynesville prior to the date of its expiration and receive a refund of a portion of the fee charged. The refund shall be half of that portion of the fee charged for the permit. No refund shall be made for any permit after the date of its expiration.
 2. Certificate of Occupancy: Fee for Certificates of Occupancy is not refundable.
- F. Fees Additive: Unless otherwise specifically noted, the fees prescribed herein shall be additive and separate fees shall be paid for each of the items listed as applicable.

SCHEDULE A

Miscellaneous Fees:

1. Copying/duplicating fee:
 - \$.15 per 8-1/2" x 11" black and white copies
 - \$.20 per 8-1/2" x 11" color copies
 - \$.25 per 8-1/2" x 14" black and white or color copies
 - \$.30 per 11" x 17" black and white or color copies
 - \$15.00 per page for maps
 - \$4.00 for copy of police reports or accident reports (for first 3 pages)
 - \$1.00 for each additional page
 - \$15.00 for audio tape copies
 - \$15.00 for videotape copies
 - \$5.00 for cd-rom

2. Curb, Gutter, Sidewalk, Drive Approach Permit:

Work in Lineal Feet:	Sidewalk	Curb/Gutter	Drive Approach
50 feet or less	\$25.00	\$25.00	\$25.00
Add'l. 50' units	+ \$10.00/unit	+ \$10.00/unit	+ \$10.00/unit

**Residential Sidewalk Permit includes one driveway not less than 18 feet or more than 26 feet in width. Add \$20.00 for each additional driveway of 26 feet or less in width.

**Commercial Sidewalk Permit includes one driveway not less than 18 feet or more than 35 feet in width. Add \$25.00 for each additional driveway of 35 feet or less in width.

3. Fingerprinting: \$20.00

4. Garage Sale Permit: \$5.00 (good for 3 consecutive days)
5. Returned Check Charge: \$30.00
6. Soliciting (Door to Door Sales): \$75.00 application fee
7. Horse Drawn Taxi: \$50.00
8. Developers Handbook: \$30.00
9. Charter copy: \$5.00
10. Codified Ordinances copy: \$75.00
11. Notary Service Fee: \$1.50, per Ohio Revised Code § 147.08 B
12. Background Investigations: \$20.00
13. Police Special Event/Off Duty Service Fee: \$60.00 per hour reimbursement fee
14. Street Department Special Event/Off Duty Service Fee: \$50 per hour reimbursement fee

Relative to work and installations within the Street Right of Way:

1. Franchise Permit Fee - As per franchise agreement.
2. General Permit Fee - 3% of annual Gross Revenues
3. Special Permit - \$1.50 per linear foot of right of way used or occupied, to be paid annually by January 31.
4. Street Opening - \$50.00 per opening
5. Daily Work Fee - \$25.00 per day plus \$0.10 per linear foot of right of way in which construction, maintenance or other activities takes place.

SCHEDULE B

The following fees are required to be paid to the Village of Waynesville for the application indicated herein. All fees must be paid prior to the issuance of a permit. These fees are established by ordinance and may be amended at any time by the Village Council. When construction has begun or a use has been initiated prior to the issuance of the permit, the standard fee shall be doubled as a penalty for non-compliance with the Village of Waynesville Codified Ordinances.

Planning & Zoning Fees (per occupied unit):

1. Certificate of Zoning Compliance (Includes attached decks, porches and garages.):
 - A. \$.10 per square foot to be placed in the following funds:
 - 40% Storm Sewer
 - 30% Administrative Fees
 - 20% Parks and Rec
 - 10% Sidewalk
2. Temporary Zoning Certificate: \$75.00 (For the temporary use of land, maximum of 30 days, such as construction trailers, temporary storage trailer/P.O.D.S unit, etc.)
3. Site Plan Review (Commercial/Industrial): Applicant will be billed at the published rate charged by the Village Engineer pursuant to contract and shall be paid prior to the issuance of any permit.
4. Zoning Map Amendment (Rezoning):
 - A. First acre or portion thereof: \$500.00
 - B. Each additional acre or portion thereof: \$25.00
5. Planned District:
 - A. Conceptual Plan: \$250.00, plus \$25.00 per acre or fraction thereof.
 - B. Preliminary Development Plan:
 - a. 0-100 acres: \$550.00
 - b. 101-500 acres: \$800.00
 - c. 501 acres and over: \$1,250.00, plus \$25.00 per acre or fraction thereof.
 - C. Final Development Plan:
 - a. 0-100 acres: \$800.00
 - b. 101-500 acres: \$1,250.00
 - c. 501 acres and over: \$1,500.00, plus \$15.00 per acre or fraction thereof.
6. Fence Permit: \$50.00
7. Sign Permit:
 - A. Wall Sign: \$20.00 up to and including 25 square feet, plus \$1.50 per square foot for each additional square foot.
 - B. Freestanding Sign: \$20.00 up to and including 15 square feet, plus \$1.50 per square foot for each additional square foot.
 - C. Projecting Sign: \$20.00 up to and including 12 square feet, plus \$1.50 per square foot for each additional square foot.
 - D. Window Sign: \$20.00 up to and including 12 square feet, plus \$1.50 per square foot for each additional square foot.
 - E. Temporary Sign: \$25.00 for a display period, per Chapter 153 of Village of Waynesville Codified Ordinances.
 - F. Church/Institutional Signs: \$20.00 up to and including 20 square feet, plus \$1.50

- per square foot for each additional square foot.
 - G. Gasoline Service Station Price Sign: \$20.00 up to 20 square feet, plus \$1.50 per square foot for each additional square foot.
- 8. Accessory Structure Permit (Structures not attached to house.):
 - A. Deck and Porches:
 - 0-300 sq. ft.: \$100.00
 - 301-500 sq. ft.: \$125.00
 - 501-1,000 sq. ft.: \$150.00
 - 1,001 sq. ft. and over: \$175.00
 - B. Detached Garage, Workshop, Shed or Storage Facility:
 - 0-300 sq. ft.: \$100.00
 - 301-500 sq. ft.: \$125.00
 - 500-1,000 sq. ft.: \$150.00
 - 1,001 sq. ft. and over: \$175.00
 - C. Gazebo: \$80.00
 - D. Masonry Fireplace: \$80.00
 - E. Move Existing Structure:
 - 1. Accessory Structures: No Fee
 - 2. Principal Structures: See Certificate of Zoning Compliance Charges
 - F. Patio Cover or Carport: \$50.00 (not enclosed)
 - G. Retaining Wall: \$80.00
 - H. Swimming Pool: \$100.00
- 9. Demolition Permit: \$100.00
- 10. Conditional Use Permit Application: ~~\$200.00~~ 250.00 |
- 11. Variance Request Application: ~~\$200.00~~ 250.00 |
- 12. Certificate of Appropriateness:
 - A. Repair with same materials: \$15.00
 - B. Substitution of materials: \$35.00
 - C. New Construction: \$35.00
 - D. Signs: \$15.00
- 13. Occupancy Permit: \$35.00
- 14. Re-Occupancy Permit: \$35.00
- 15. Park Fee: \$500.00
- 16. Third Party Review: Applicant will be billed at the published rate charged by the Village Engineer pursuant to contract and shall be paid prior to the issuance of any permit.

17. Flood Plain Elevation Certification Permit: \$100.00
18. Minor Subdivision (Lot Split, Combination or Replat):
 - A. Residential: \$100.00, plus \$15.00 per lot.
 - B. Non-Residential: \$125.00, plus \$15.00 per lot.
19. Parking Requirement Non-Compliance: \$5.00 per parking space per month.
20. Plat Review Fee (public improvements): Applicant will be billed at the published rate charged by the Village Engineer pursuant to contract and shall be paid prior to the issuance of any permit.
21. Street Tree Permit Fee (Waterford Place Subdivision): \$500.00

SCHEDULE C

Bulk Water Rate

1. \$5.50/1,000 gallons (2021-047)

Water Utility Fees:

1. Disconnect utility service: \$25.00
2. Reconnect utility service: \$25.00
3. Water meter purchase: ~~\$255.00~~ 325.00 (5/8" x 3/4" meter) Larger meters will be quoted.
4. Late fee for past due bills: 10% of outstanding balance
5. Meter installation fee: \$150.00
6. Water line inspection fee: \$150.00
7. Replacement lid for water meter pit: \$50.00

Water Connection Fee (Ordinance 2018-035):

1. Size of Meter Connection	Fee
5/8"	\$4,300
3/4"	\$8,000
1"	\$16,000
1.5"	\$28,000
2"	\$58,000
3"	\$74,000
4"	\$104,000
6"	\$116,000
8"	\$208,000

Connections for the Fire Service will be metered in a vault or pit and will be metered to the diameter of the pipe. All costs for the fire service connection will be the responsibility of the property owner. (Ordinance 2018-040)

Inside the Corporation

1. Monthly water capital surcharge: \$10.00
2. Monthly water improvement charge: \$1.88
3. Commodity charge: \$3.59/1,000 gallons (2021-047)

Corporation Limits:

1. Monthly water capital surcharge: \$10.00
2. Monthly water improvement charge: \$1.88
3. Commodity charge: \$4.26/1,000 gallons (2021 -047)

Water Tower Fee for all new connections:

1. \$1,500.00 per connection

Trash and Yard Waste Disposal Service:

1. \$15.80 per month (includes one toter) effective Aug 17, 2019. (2019-033)
\$16.00 per month (includes one toter) effective May 17, 2020. (2019-033)
\$16.59 per month (includes one toter) effective May 17, 2021. (2019-033)
2. Additional trash toter: \$3.00 per month

Temporary Ban on Water Usage Violation:

1. \$100.00 per violation

Water Meter Jumper Violation:

1. \$500.00 per violation

Street Light Utility:

1. ~~\$2.30~~ 2.40 per month per property individual business or residence (2020-028)

Storm Sewer:

1. \$6.00 per month per customer (2018-034)

Water Capital Surcharge:

1. \$10.00 per month per customer

Water Improvement:

1. \$1.88 per month per customer

SCHEDULE D

Fire Service Availability Fee – Monthly (Ordinance 2019-015):

1" connection	\$5.00
2" connection	\$20.00
3" connection	\$45.00
4" connection	\$80.00
6" connection	\$180.00
8" connection	\$320.00
Public fire hydrant	\$3.50
Private fire hydrant	\$5.50

U:\Rod\Finance\Schedule of Fees and Charges\2006ScheduleOfFeesAndCharges.doc

ORDINANCE NO. 2022-012

AUTHORIZING THE VILLAGE MANAGER TO ENTER INTO A COOPERATIVE AGREEMENT WITH WAYNE TOWNSHIP RELATED TO THE THIRD STREET WATER MAIN REPLACEMENT AND STREET RESURFACING PROJECT

WHEREAS, the Village of Waynesville is planning to make capital improvements for the 3rd Street Water Main Replacement and Street Resurfacing project; and

WHEREAS, the Village of Waynesville and Wayne Township desire to enter into a cooperative agreement to submit an application to the Ohio Public Works Commission related to the allocation of the local share of the total project cost and other related matters.

NOW THEREFORE, BE IT ORDAINED by the Council of the Village of Waynesville, ____ members elected thereto concurring:

Section 1. That the Village Manager is hereby authorized to enter into a cooperative agreement with Wayne Township related to the Third Street Water Main Replacement and Street Resurfacing Project substantially in the form of the agreement attached hereto as Exhibit A.

Section 2. That this Ordinance shall be effective from and after the earliest period allowed by law.

Adopted this ____ day of _____, 2022.

Attest: _____
Clerk of Council

Mayor

3rd STREET COOPERATIVE AGREEMENT

Village of Waynesville Ordinance # 2022-012
Wayne Township Resolution #

Date _____
Date _____

The Village of Waynesville and Wayne Township enter into a cooperation agreement to submit an application to the Ohio Public Works Commission for the 3rd Street Water Main Replacement and Street Resurfacing project.

The Village of Waynesville will provide funds equal to 38.05% percent of the total project cost. Such funds will come from [Water Capital Improvement 570-539-300-000]

Wayne Township will provide funds equal to 2.95% percent of the total project cost, up to a maximum of \$25,000. Such funds will come from [insert name of account / fund].

The OPWC grant shall cover 59% of the project costs.

Wayne Township authorizes the Village of Waynesville to serve as lead applicant and to sign all necessary documents.

The Village of Waynesville agrees to pay its 38.05% of the cost as invoices are due .

Wayne Township agrees to reimburse the Village of Waynesville its 2.95% of the cost within forty-five (45) days after receiving an invoice from the Village of Waynesville.

Signatures for Village of Waynesville

Signatures for Wayne Township

ORDINANCE NO. 2022-013

AUTHORIZING THE VILLAGE MANAGER TO ENTER INTO A COOPERATIVE AGREEMENT WITH WAYNE TOWNSHIP RELATED TO THE FRANKLIN STREET WATER MAIN AND STREET IMPROVEMENTS, PHASE 1 PROJECT

WHEREAS, the Village of Waynesville is planning to make capital improvements for the Franklin Street Water Main and Street Improvements, Phase 1 project; and

WHEREAS, the Village of Waynesville and Wayne Township desire to enter into a cooperative agreement to submit an application to the Ohio Public Works Commission related to the allocation of the local share of the total project cost and other related matters.

NOW THEREFORE, BE IT ORDAINED by the Council of the Village of Waynesville, ____ members elected thereto concurring:

Section 1. That the Village Manager is hereby authorized to enter into a cooperative agreement with Wayne Township related to the Franklin Street Water Main and Street Improvements, Phase 1 Project substantially in the form of the agreement attached hereto as Exhibit A.

Section 2. That this Ordinance shall be effective from and after the earliest period allowed by law.

Adopted this ____ day of _____, 2022.

Attest: _____
Clerk of Council

Mayor

FRANKLIN STREET COOPERATIVE AGREEMENT

Village of Waynesville Ordinance #2022-013
Wayne Township Resolution #

Date _____
Date _____

The Village of Waynesville and Wayne Township enter into a cooperation agreement to submit an application to the Ohio Public Works Commission for the Franklin Street Water Main and Street Improvements, Phase 1 project.

The Village of Waynesville will provide funds equal to 38.7% percent of the total project cost. Such funds will come from [Water Capital Improvement 570-539-300-000 and Storm Sewer Utility 5901-800-500-8000].

Wayne Township will provide funds equal to 2.3% percent of the total project cost, up to a maximum of \$25,000. Such funds will come from [insert name of account / fund].

The OPWC grant shall cover 59% of the project costs.

Wayne Township authorizes the Village of Waynesville to serve as the lead applicant and to sign all necessary documents.

The Village of Waynesville agrees to pay its 38.7% of the cost as invoices are due.

Wayne Township agrees to reimburse the Village of Waynesville its 2.3% of the cost within forty-five (45) days after receiving an invoice from the Village of Waynesville.

Signatures for Village of Waynesville

Signatures for Wayne Township

ORDINANCE NO. 2022-014

**AUTHORIZING A HEALTH INSURANCE PLAN FOR VILLAGE
EMPLOYEES AND DECLARING AN EMERGENCY**

WHEREAS, Council for the Village of Waynesville has always desired that all regular full-time employees be covered by medical insurance; and

WHEREAS, Council further desires to authorize health insurance for the period beginning May 1, 2022 and ending April 30, 2023.

NOW, THEREFORE, BE IT ORDAINED by the Village Council of the Village of Waynesville, _____ members elected thereto concurring that:

Section 1. That the Council for the Village of Waynesville hereby authorizes and approves the health insurance plan set for in Exhibit A, attached hereto and incorporated herein by reference, for the period beginning May 1, 2022 and ending April 30, 2023.

Section 2. That the Village Manager is further authorized to execute any and all documents necessary for the administration of this program.

Section 3. That the Finance Director is hereby authorized to make any and all payments as required by the plan.

Section 4. This ordinance is hereby declared to be an emergency measure necessary for the preservation of the public peace, health, safety, and general welfare and shall be effective immediately upon its adoption. The reason for said declaration of emergency is the need to renew the health insurance plan before the expiration of the existing plan.

Adopted this _____ day of _____, 2022.

Attest: _____
Clerk of Council

Mayor

Your Renewal Snapshot

Your current medical plan(s) and the renewal plan(s) are reflected in the grid(s) below. A complete listing of benefit details can be found on the Summary of Benefits at sbc.anthem.com. Or click on the plan name in electronic copies, then enter your renewal effective date into the top box of that page.

Renewal Premium Equivalent Rates for your Medical Plan(s)

Plan Name/Contract Code	Ded. Ind/Fam	OOP Max	Office Visit PCP/SPC	Inpatient Hospital	ER/UC	Prescription Drugs	EMP	ESP	EGH	FAM	% of Change
Current Plan 1 SOCA Benefit Plan Blue Access PPO 5000/0%/7000 - 5T47	\$5000/ \$10000	\$7000/ \$14000	\$30/ \$60	Ded:0%	\$400:0%/ \$75	Level 1 - \$15/ \$45/ \$80/ 25% up to \$350/script Level 2 - \$25/ \$55/ \$90/ 25% up to \$450/script	\$355.31	\$780.97	\$599.76	\$1096.84	
Renewal Plan 1 SOCA Benefit Plan Blue Access PPO 5000/0%/7000 - 6ANA	\$5000/ \$10000	\$7000/ \$14000	\$30/ \$60	Ded:0%	\$450:0%/ \$75	Level 1 - \$15/ \$45/ \$90/ \$275 Level 2 - \$25/ \$55/ \$100/ \$375	\$383.42	\$842.76	\$647.21	\$1183.62	7.91%

Enrolled 2 1 1 5 Total: 9

Medical Enrolled: 9 Monthly Premium Equivalent Rate: \$8174.91 Medical % of Change: 7.91%


The benefits and rates reflected in this quote have been adjusted to comply with changes required by the Affordable Care Act beginning in 2014. If not yet approved by the Department of Insurance, these benefits and rates might need to be adjusted. This coverage has been selected for employees and eligible dependents; subject to the terms and conditions of this proposal and the application to which this is attached.

Premium Equivalent Rates Addendum to the Participation Agreement

The Employer shall pay Anthem the following premium equivalent rates per Employee per month for the Contract Period.

Coverage	EMP	ESP	ECH	FAM
SOCA Benefit Plan Blue Access PPO 5000/0%/7000 - 6ANA	\$383.42	\$842.76	\$647.21	\$1183.62

Rates are proposed for an effective date of 05/01/2022. Rerate is required after this date. Final rates will be based on the actual effective date. Rates are based upon primarily located in the 45068 zipcode area. Final rates will be based upon the actual location, census, final benefits selected and the underwriting rules in effect upon acceptance by the SOCA Benefit Plan. This renewal is subject to underwriting approval by the SOCA Benefit Plan. The entire provisions of benefits and exclusions are contained in the Participation Agreement. In the event of a conflict between the Participation Agreement and this description, the terms of the Participation Agreement will prevail. NOTE: If the alternate Option request form is not received by the effective date listed on this proposal, a new proposal must be submitted. All HSA-compatible or high deductible plans are stand-alone plans, without an employer self-funding or insuring the deductible. Employer funding (other than through contributions to the employee's HSA account) could cause these plans to not meet Affordable Care Act rating requirements. This means the plan will no longer be Guaranteed Issue, if the employer self-funds or insures the deductible or other cost-share amounts.



Matt Appenzeller, Plan Administrator
 Southern Ohio Chamber Alliance Benefit Plan

Your Renewal Snapshot

SOCA VILLAGE OF WAYNESVILLE IN WARREN COUNTY
 S00134
 SOCA Benefit Plan
 Effective Date: 05/01/2022

Your current medical plan(s) and the renewal plan(s) are reflected in the grid(s) below. A complete listing of benefit details can be found on the Summary of Benefits at sbc.anthem.com. Or click on the plan name in electronic copies, then enter your renewal effective date into the top box of that page.

Renewal Premium Equivalent Rates for your Medical Plan(s)

Plan Name/Contract Code	Ded Ind/Fam	OOP Max	Office Visit PCP/SPC	Inpatient Hospital	ER/UC	Prescription Drugs	EMP	ESP	ECH	FAM1	% of Change
Current Plan 1 SOCA Benefit Plan Blue Access PPO 5000/0%/7000 - 5147	\$5000/ \$10000	\$7000/ \$14000	\$30/ \$60	Ded:0%	\$400:0%/ \$75	Level 1- \$15/ \$45/ \$80/ 25% up to \$350/script Level 2- \$25/ \$55/ \$90/ 25% up to \$450/script	\$355.31	\$780.97	\$599.76	\$1096.84	
Renewal Plan 1 SOCA Benefit Plan Blue Access PPO 5000/0%/7000 - 6A9A	\$5000/ \$10000	\$7000/ \$14000	\$30/ \$60	Ded:0%	\$450:0%/ \$75	Level 1- \$15/ \$45/ \$90/ \$275 Level 2- \$25/ \$55/ \$100/ \$375	\$383.42	\$842.76	\$647.21	\$1183.62	7.91%

Medical Enrolled: 9 Monthly Premium Equivalent Rate: \$8174.91 Enrolled 2 1 1 5 Total: 9
 Medical % of Change: 7.91%

The benefits and rates reflected in this quote have been adjusted to comply with changes required by the Affordable Care Act beginning in 2014. If not yet approved by the Department of Insurance, these benefits and rates might need to be adjusted. This coverage has been selected for employees and eligible dependents; subject to the terms and conditions of this proposal and the application to which this is attached.

Coverage Types - EMP=Employee Only, ESP=Employee/Spouse, ECH=Employee/Child(ren), FAM = Family

Premium Equivalent Rates

Addendum to the Participation Agreement

The Employer shall pay Anthem the following premium equivalent rates per Employee per month for the Contract Period.

Coverage	EMP	ESP	ECH	FAM
SOCA Benefit Plan Blue Access PPO 5000/0%/7000 - 6AMA	\$383.42	\$842.76	\$647.21	\$1183.62

Rates are proposed for an effective date of 05/01/2022. Rerate is required after this date. Final rates will be based on the actual effective date. Rates are based upon primarily located in the 45068 zipcode area. Final rates will be based upon the actual location, census, final benefits selected and the underwriting rules in effect upon acceptance by the SOCA Benefit Plan. This renewal is subject to underwriting approval by the SOCA Benefit Plan. The entire provisions of benefits and exclusions are contained in the Participation Agreement and this description, the terms of the Participation Agreement will prevail. NOTE: if the alternate Option request form is not received by the effective date listed on this proposal, a new proposal must be submitted. All HSA-compatible or high deductible plans are stand-alone plans, without an employer self-funding or insuring the deductible. Employer funding (other than through contributions to the employee's HSA account) could cause these plans to not meet Affordable Care Act rating requirements. This means the plan will no longer be Guaranteed issue, if the employer self-funds or insures the deductible or other cost-share amounts.



Matt Appenzeller, Plan Administrator
Southern Ohio Chamber Alliance Benefit Plan

ORDINANCE NO. 2022-015

AUTHORIZING THE VILLAGE MANAGER TO ENTER INTO A CONTRACT WITH PCI SERVICES RELATED TO MAIN STREET LIGHT LED REFURBISHMENT

WHEREAS, it is desired for the Village of Waynesville to refurbish the Main Street lights and convert them to LED bulbs; and

WHEREAS, PCI Services has submitted an acceptable proposal for said work.

NOW, THEREFORE, BE IT ORDAINED by the Village Council of the Village of Waynesville, _____ members elected thereto concurring that:

Section 1. That the Village Manager is hereby authorized to execute a contract with PCI Services pursuant to the terms of the proposal attached hereto as Exhibit A.

Section 2. That the Finance Director is authorized to pay PCI Services an amount not to exceed \$11,070.00 pursuant to the terms of the proposal

Section 3. That this Ordinance shall be effective from and after the earliest period allowed by law.

Adopted this _____ day of _____, 2022.

Attest: _____
Clerk of Council

Mayor

P C I Services

62 Big Pine rd.
Winchester, OH 45697 US
9375159369
nmerrill6@gmail.com

Estimate

ADDRESS

Village of Waynesville
1400 Lytle Rd
Waynesville, OH 45068
United States

ESTIMATE # 0012096

DATE 03/31/2022

EXPIRATION DATE 04/29/2022

DATE	ACTIVITY	DESCRIPTION	QTY	RATE	AMOUNT
03/31/2022	Services	1 man 2.5 hours each refurbish main street lights (54) to led replace receptal	135	50.00	6,750.00
03/31/2022	material	Materials led bulbs and receptal while we have the fixture apart we can clean the glass village to provide cleaner and towels	54	80.00	4,320.00

TOTAL

\$11,070.00

Accepted By

Accepted Date

Thank you for your bussiness

Me14398

Ce14399

ORDINANCE NO. 2022-016

**AUTHORIZING THE VILLAGE MANAGER TO EXECUTE AN
ADDENDUM TO THE CONTRACT WITH RUMPKE OF OHIO, INC. AND
DECLARING AN EMERGENCY**

WHEREAS, the Village of Waynesville has previously entered into a contract with Rumpke of Ohio, Inc.; and

WHEREAS, Rumpke of Ohio, Inc., has proposed an addendum to said contract.

NOW, THEREFORE, BE IT RESOLVED by the Council of the Village of Waynesville, Ohio, _____ members elected thereto concurring:

Section 1. That the Village Manager is hereby authorized to execute an addendum to the contract with Rumpke of Ohio, Inc., substantially in the form of the addendum attached hereto as Exhibit "A" and incorporated herein by reference.

Section 2. That this Ordinance is hereby declared to be an emergency measure necessary for the immediate preservation of the public peace, health, safety, and welfare and shall be effective immediately upon its adoption. The reason for said declaration of emergency is the need to execute the addendum prior to the expiration of the contract to ensure uninterrupted service.

Passed this _____ day of _____, 2022.

Mayor

Clerk of Council

ADDENDUM

This document serves to add the following to the contract dated May 24, 2006 (the "Contract") between the Village of Waynesville, Ohio (the "Village") and Rumpke of Ohio, Inc. (the "Contractor").

It is hereby agreed as follows:

Effective June 1, 2022 and continuing through May 31, 2025 Rumpke shall continue to provide for the collection and disposal of garbage, recyclables, refuse and yardwaste within the Village of Waynesville invoiced directly to the Village on a monthly basis as follows:

June 1, 2022 to May 31, 2023:	\$18.25 Per Unit Per Month
June 1, 2023 to May 31, 2024:	\$18.98 Per Unit Per Month
June 1, 2024 to May 31, 2025:	\$19.74 Per Unit Per Month

Additional trash carts as requested will continue to be invoiced to the Village at the rate of \$3.00 each per month. Any and all applicable surcharges will be in addition to the above quoted unit rates. The monthly invoice shall be based on 1,070 units being provided with the garbage, recyclables and yardwaste collection services. Any additional units will be added at the above quoted unit rate as appropriate.

A 65-gallon recycling cart will continue to be provided at no additional charge to residents upon their specific request.

All other terms and conditions of the original contract dated May 24, 2006 shall remain unchanged.

The Contractor agrees to comply with all Federal, State and local laws and regulations in the collection, removal, and disposal of all such waste material. In the event that the Contractor incurs increased costs (such as, but not limited to, tipping fees, disposal fees, composting fees, surcharge fees, additional fuel costs, or as a result of imposition of new governmental regulations not in effect at the time of acceptance of said Contract and which regulate the type of material collected, the location for disposition of such material, or the payment of fees for disposing of such materials), then the Village shall, after negotiation with Rumpke and approval by the Village Council, adjust the unit cost by an amount commensurate with the increased per unit operating cost incurred by Rumpke.

In the event that either party is unable to perform any of its obligations under this contract or to enjoy any of its benefits because of (or if failure to perform the services is caused by) war, Acts of God, natural disaster (such as floods, earthquakes, tornadoes, hurricanes, blizzards, windstorms, high water table, unusually severe weather), fires, quarantine, labor disputes or strikes, explosion, shortage or failure in the supply of fuel, electric current or other public utility not caused by Contractor's actions, actions or decrees of governmental bodies not caused by Contractor's actions, or any other cause beyond the control of the parties (hereinafter referred to as a "Force Majeure Event"), the party who has been so affected shall immediately give notice to the other party. Upon receipt of notice, all obligations under this contract shall be immediately suspended. If the period of nonperformance exceeds thirty (30) days from the receipt of notice of the Force Majeure Event, either party may terminate this contract.

The term of this contract extension shall be for three (3) years effective June 1, 2022 and continuing through May 31, 2025. This contract may be renewed for additional option periods upon mutual agreement of both parties.

VILLAGE
WAYNESVILLE, OHIO

RUMPKE OF OHIO, INC.

Title:

William J. Rumpke Jr

William J. Rumpke, Jr., President

Witness

Linda Rat

Witness

Date

March 28, 2022

Date

Finance Director Report

April 4th, 2022

Kitty Crockett

- I printed a Cash Flow Summary by Fund for the past 5 years regarding Trash Pickup. Jamie and I reviewed the income compared to the expenses and cash carry over. Both of us agree that there does not need to be an increase in trash pickup at this time. There is enough cash carry over and revenue coming in to cover the expenses. Currently the Village is charging 50 cents over Rumpke's rates and I would recommend that it stays at 50 cents. Maybe revisit in the next year or two.

Thank You,

Kitty Crockett
Finance Director

DRAFT

PUBLIC WORKS COMMITTEE MEETING –

March 7, 2022 –

MEMBERS PRESENT: Chris Colvin, Zachary Gallagher (arrived late), Brian Blankenship

GUESTS PRESENT: Connie Miller, Joette Dedden, Earl Isaacs, David Nation, Andrew Shipman, Nathan Merrell (PCI Electric)

STAFF PRESENT: Chief Copeland, Jamie Morley

1. Meeting called to order at 5:31 PM by Mr. Colvin.
2. Quorum was achieved – Two members were present.
3. Mr. Blankenship made a motion to accept the February 7, 2022 minutes and was seconded by Colvin.

2 Yeas
4. Mr. Gallagher joined the meeting.
5. Chief Copeland informed the committee that the electric has been installed to the new sign and it is up and running. It looks great and he has received many compliments on the sign.
6. At this time the committee discussed the replacement of the lampposts on Main Street. Chief Copeland stated that because the project is over 150K, it will have to be put out to bid. He recommended that if the Committee decides to continue with the project a spec sheet must be put together in order to be put out for bid. This would list all the requirements for the lampposts, such as height, color, and attachments.
 - a. Mrs. Miller said that MOMS originally met to get their input on the lampposts. After the meeting, Mr. Lauffer has collected a couple of quotes. The lowest quote came in at a little over 190K which only includes a flag post holder attachment and installation. The system that this company quoted allows flowerpot holders and banner holders to be purchased and added on later. In other companies, the attachments must be built-in with the pole when ordered. This track system makes these lampposts unique because attachments can be added later, changed out, and can be adjusted to any height. Mrs. Miller stated that the quote does include tax. Mr. Merrell stated that the company is not in Ohio and tax exemptions usually do not go across state lines. Mr. Merrell stated that he is purchasing the lampposts through his account, and he is not tax-exempt. He can purchase the lampposts for less than the Village because he does a lot of business with the company and is passing the savings onto the Village.
 - b. It was discussed that with the higher poles there are a couple of locations where the overhead wires may need to be raised. These wires are mostly cable wires. Mrs. Miller summarized that there are a couple of ways to lower the price by purchasing a 10 ft pole instead of a 12-foot pole and saving \$75.00 a pole, roughly a savings of \$3,600. With the 3-foot globe, the poles would be 15 feet high and may not cause issues with the wires (current poles are currently 12 feet top to bottom). The Village can also

purchase less expensive bolts and save another \$4,000. Mr. Gallagher asked Mr. Merrell if this would void the warranty. Mr. Merrell stated that no, he was getting the bolts from the manufacturer. Mr. Gallagher asked what material the shoe base was made of. Mr. Merrill stated that he believes it is aluminum, but not sure and will confirm.

- c. At this time, the Committee discussed the quote provided by the Site Link Revolutionary Track System. There were two quotes; one for the Granville Classic for \$3,000 a pole with an acorn-shaped globe and the other is for the Arlington Utility Assembly which is a lantern globe for \$3,500 a pole. Ms. Dedden asked how much more would an armed light be. Mr. Merrill stated he was not sure but would be about \$1,000 more a pole. The quote is for 80 Watts, 1100 lumens, and dimmable LEDs. There is a 5-year warranty, and the poles are painted cast aluminum. The attachment for banners is \$237 for single-arm per pole and planters are \$300 per pole. Mr. Gallagher stated he liked the track system and felt it was very useful and innovative.
7. At this time the Committee debated purchasing new lampposts versus refurbishing the old posts. Mrs. Miller questioned if it would be cost-effective to put money into the old poles if the Village would be unable to purchase replacements parts. Chief Copeland stated that the last replacement globe was used about 4 years ago and does not think the Village can purchase them anymore. Chief Copeland said the Village could purchase the bare bone poles and then purchase attachments like flowerpot hangers or banner holders later.
8. Mr. Colvin asked if the Village were to wait, would the price go down because of the current economic status. Mr. Merrill stated there have been two price increases since the beginning of the year. Mrs. Miller added that the quoted Granville lampposts are a popular choice, and the company has these in stock, therefore the quoted price is before the price increases. The poles have increased by \$500 dollars since last year. It is a gamble on whether the price could go up or down. Mr. Colvin stated he is inclined to wait and see if the price goes down. Mr. Blankenship stated he would like to see if the old poles could be refurbished. He stated that he felt 200K was too much to spend.
9. Chief Copeland was asked to get a cost for reconditioning the old lampposts. Mrs. Miller suggested looking into additional funding and applying for grants. She stated she gave Chief Copeland paperwork for several possible grants. The Committee agreed that they need to come up with the specifications. Ms. Dedden asked if anyone has considered what the taxpayers would think about spending this amount on the lampposts.
10. Mr. Nations stated that as a taxpayer, he would like to see the current lampposts refurbished. However, this does not solve the issue of the janky way the flagpole holders and flowerpot holders are attached to the lampposts.
11. Mr. Shipman stated he would like to see a bike/skate park at the government center. Chief Copeland stated that that area has been earmarked for a new water tower.
12. At this time Chief Copeland went over other projects going on within the Village:

- a. The Village now has a large format printer to scan and print blueprints.
 - b. Electronic sign is up and running. Mrs. Miller asked if the font can be larger for the meetings.
 - c. Working on the clock to be donated at the gazebo in celebration of Waynesville's 225 anniversary. Barry from Hour House is putting together a quote to convert the clock from batteries to an electronic mechanism. This will cost about \$500.
 - d. Working with Aaron from ODNR about the application to fill in the property at the corner of Route 73 and 42.
 - e. Placed a stop sign at the government center to ensure the sign does not cause an obstruction.
 - f. A very nice article was published in the Dayton Daily News on the Lockup.
 - g. 100 tons of salt was delivered to the salt bin as part of the County bid.
13. Mr. Colvin asked Chief Copeland if he has any updates on placing a stoplight at Route 42 and Corwin Ave. Chief Copeland responded that he has not heard anything.
14. Mr. Colvin made a motion to adjourn at 6:46 PM and was seconded by Mr. Blankenship.
3 Yeas

Jamie Morley
Clerk to Council